




Sierra Components, Inc.

2222 Park Place Building 3 Suite E • Minden, Nevada 89423

Phone: 775.783.4940 Fax: 775.783.4947

PAD FUNCTIONS

1. NC
2. NC
3. OUTPUT
4. NC
5. GND
6. NC
7. FEEDBACK
8. NC
9. ON/OFF
10. NC
11. NC
12. GND
13. GND
14. NC
15. NC
16. V_{IN}



DISCLAIMER

The data contained herein is supplied for general information only and is believed to be correct at the time of publication. These devices may change, without prior notification from the manufacturer. Micross Components Ltd cannot accept liability for any such changes, not recorded herein. For critical applications, the customer is advised to verify device revision and pad coordinates, prior to processing.

<p>APPROVED G.Denny DATE:04/10/10</p>	<p>DEVICE TYPE(S): & MANUFACTURER TL2575 TEXAS INSTRUMENTS</p>	<p><u>NOMINAL DIE SIZE (Mils):</u> 114 x 155 Mils <u>MIN. PAD SIZE (Mils):</u> <u>BACK CONNECTION:</u> <u>DIE ID:</u> 2575G 7P0</p>
<p>DG 10.1.2 Rev B, 7/19/02</p>		<p><u>BOND PAD METAL:</u> <u>BACK SIDE METAL:</u></p>